

A Comprehensive Research Study Literature Review of EPIC® in Terms of Enabling Healthcare Agility: A Report Card

Ralph J. Johnson, Ph.D., PA-C^{1,*}

¹Dept. of Lymphoma / Myeloma, UT-MDACC, Unit 429, 1515 Holcombe Blvd, Houston, TX 77030 USA.

Abstract

Background: As healthcare markets have become more dynamic and turbulent, healthcare organizations have evolved by becoming increasingly “Smart-Agile” in their business practices. Smart-Agility definition-ally ensures success due to its inherent ability to rapidly detect and react appropriately to varied and evolving unclear, complex, and seemingly tumultuous situations and produce high-quality, low-cost goods and services with high customer satisfaction. Thus, there is a vital need for Smart-Agile healthcare IT systems for collection, analyses, and reporting of substantial quantities of healthcare data to inform patient treatment and organizational decisions. EPIC® and its meaningful-use components appear increasingly popular, capturing a majority portion of the healthcare Electronic Healthcare Records (EHR) IT market (>~30%). Yet, there are few, if any, studies reporting on EPIC in terms of Smart-Agility.

Aim: The intent of this article is to report a systematic review of scientific literature regarding EPIC’s healthcare IT systems meaningful-use features cross-compared with Smart-Agility aspects to produce a positive vs. negative report card—and whether its features are critical vs. non-critical in terms of Smart-Agility.

Method: Findings reported herein derive from a grounded, iterative review of open-source, peer-reviewed scientific literature following PRISMA.

Findings: Report card results were mixed. EPIC clearly succeeds and excels (better than average) on Smart-Agile healthcare IT system core aspects that are the most central, critical and valuable in terms of informing healthcare organizations’ decisions and their patients’ care (6 out of 7; B+, -A), specifically: Standardized Data Collection / Connectivity, Real-Time Data Warehousing/Outcome Measures, Enhanced Patient Safety, Patient Tracking and Follow-up (Continuity of Care), Patient Involvement, and Potential Use in Medical Education. The only critical core criterion it failed on was End-User Satisfaction, and some of that appears to dissipate with new users’ software familiarity.

Conclusion: EPIC provides a solid and relatively inexpensive foundation with great potential for enabling Smart Agility in healthcare organizations with its high-quality collection and management of vast amounts of inter-connected raw data, auto-analysis, and fast report generation. But it does so with hidden costs and inefficiencies. Avenues of further inquiry are suggested.

Corresponding author: Ralph J. Johnson, Ph.D., PA-C⁺, Dept. of Lymphoma / Myeloma, UT-MDACC, Unit 429, 1515 Holcombe Blvd, Houston, TX 77030 USA

Keywords: Agility, Electronic Health Records, EHR systems, EPIC, Healthcare Information Technology, Meaningful Use

Received: Feb 09, 2021

Accepted: Feb 13, 2021

Published: Feb 20, 2021

Editor: Sasho Stoleski, Institute of Occupational Health of R. Macedonia, WHO CC and GaZlen CC, Macedonia.

Background

As current healthcare business environments become increasingly dynamic and turbulent [1-3], many organizations have adapted successfully by adopting a concept of “agility” into their processes. [1, 2, 4 – 8]. Although the concept of agility originally derived from the manufacturing sector [3, 9], it has been increasingly transferred and incorporated throughout modern enterprises in general, especially the field of healthcare [10,11]. Simply defined, agility means rapidly responding to changing market conditions in order to acquire a position to take advantage and optimize opportunities [1, 4, 12 – 15]. Agility eponymously ensures the probability of successful operations by virtue of its ability to quickly detect and respond to any given situation. [16 – 20, 21] Agility also means continuous quality improvement by encouraging market-performance alignment within organizational strategic objectives. [1] The challenge arises out of extensive and varied operations in uncertain, complex, ambiguous, dynamic, and turbulent conditions [1]. Agile organizations are considered able to swiftly discern and conceive high-quality, low-cost, and high customer satisfaction-providing products, services, and solutions delivered within short suspense deadlines. [1] This highlights the need for information technology and systems for detection of intra-organization and external market characteristics and performance criteria in healthcare organizations. This requires large quantities of data and the infrastructure to collect and analyze it accurately and efficiently. [1, 5, 22 also see 23,24]

There have been specific Information Technology (IT) tools developed to enable organizations responsiveness to market changes, particularly in the healthcare industries, that have been studied in terms of

their efficaciousness [16, cf. 25, also see 26]. Also, for healthcare organizations, there are certified off-the-shelf, on-the-spot, one-resource electronic records (EHR) software systems that have become popular choices. This is due to federal and state mandates and incentives for the adoption of “meaningful use” software that offer varying potential to inform and promote Smart-Agile patient medical treatment and organizational decisions.[27-35] For most healthcare organizations caught in the rub, the sensible choice has been EPIC ®[36], which has recently (circa 2019) and rapidly garnered well over 30% of the EHR market share and is seeking substantially more shares in other electronic records markets (e.g., academic, legal, human resources).[37, cf. 38] Therefore, it is only sensible to conduct a systematic review and evaluation of EPIC’s meaningful use features in accordance with their relevance to smart enabling of healthcare organizations’ agility, including: standardized data collection, technological somnambulism, time commitments and productivity, real-time data warehousing and (patient-centered) efficient production of outcome measures, enhanced patient safety, patient tracking and follow-up, end-user satisfaction, reminders, patient involvement, and potential use in medical education / training [see 38]. Yet, despite EPIC’s preeminence in healthcare IT, there are few, if any, such appraisals on its contributions to Smart-Agility. Therefore, the intent of this article is to report a systematic and comprehensive review and assessment of EPIC’s meaningful use features compared against what is termed aspects of Smart-Agile IT healthcare systems [10, 11, 39]—the ultimate aim of this work being the provision of a Smart-Agile report card for EPIC. Note, this is a review of EPIC only and only in terms of its meaningful use

features cross-compared with Smart-Agility. EPIC is in no way considered representative of any other or all meaningful use EHR software, though in terms of other software being meaningful use EPIC may be reflective of those software(s). EPIC's examination here is justified in that it is currently the most popular and ubiquitous EHR software according to market share.

Method

The findings in this article derive from a 5-phased systematic, iterative "theoretic grounded" [40-41, cf. 42] literature review on EPIC in terms of the Smart-Agility that is depicted in Figure 1.

Figure 1 depicts the PRISMA evidence-based and best practices literature review research process that informed the work reported herein. Open-source peer-reviewed articles from multiple sources were identified and reviewed and conceptual themes generated. This process adhered to general best-practices guidelines and stipulations as per PRISMA [43-45] in order to provide a best-practices standard of a high-degree of independence and transparency to the methodological process. Also, following the PRISMA process in terms of a literature review depicted in a PRISMA diagram helps ensure: (1) a depiction of inclusion / exclusion criteria representativeness and comprehensiveness of the literature review; and, (2) exclusion of irrelevant literature (i.e., filler). [43-45]

Essentially, Figure 1 depicts the steps in this process. Step one involved deriving relevant keywords with which to search for articles and the results from a general canvassing of appropriate peer-reviewed medical/health and open-source subject matter databases, and applying search terms to the databases. Step two was reviewing abstracts or executive summaries for relevance, and retrieving relevant articles. Step three was identification and enumeration of themes and the retrieval of related information for review until all themes were exhausted. Step four was the actual review with a fifth step, which was cross-comparisons against Smart-Agile healthcare IT systems aspects also derived from the literature and reported throughout the Findings. Given that the process is "theoretically grounded" [40,41], though the steps are generally sequential and linear, they can be repeated individually

or the researcher can cycle back and forth between steps. However, the eventual and ultimate aim was relatively comprehensive literature review that resulted in the identification, summation, and exhaustion of all themes. The one limitation in this method is that not all possible themes in the universe may have been identified. [40] However, this does not suggest that those identified herein are any more or less important or meaningful.

Themes are basic summary statements along with controverted issues (if any) that synthesize whether a meaningful use criteria meets Smart-Agility in terms of nominal presence and absence and backed-up with referenced citations. Note, there is no universal and absolute list of Smart-Agile aspects and these were culled from the Smart-Agility literature too (150). (Nevertheless, Dimirken's[10] seminal work is about the most comprehensive yet concise inventory.) Also, there was an avoidance of reporting deep delving into controverted issues in the interest of space limitations and avoiding confusion.

Findings

Standardized Information/Data Collection (Connectivity)

The hallmark of Smart-Agile healthcare IT systems and a critical aspect is their ability to "demonstrate unprecedented potential for fast delivery of automated intelligent and sustainable healthcare services," [10; p.39, cf.40] which EPIC clearly attains. Smart-Agile health care IT systems also promote coordinated services through auto-connectivity and comparable notes, especially patient notes—an additional Smart-Agility aspect for which EPIC scores high too. EPIC's potential for providing Smart-Agile healthcare lies in its ability to quickly connect information and retrieve standardized data for comparative analysis and because it requires pre-determined data outcome measurements. [28,29, 46 -65, cf.66] EPIC is able to generate accurate and timely reports based on requirements for entry of standardized data (e.g., EPIC "hard stops"*) [28,48,cf.66]. These can be immediately queried for programmatic evaluation and modification research. Yet, EPIC allows for modification/inclusion of evidence-based prompts and hard stops for identifying and mandating standardized data entry. [48]




Figure 1. "Grounded" Literature Review

However, there has been concern about a disadvantage of a monopoly or market dominance that locks purchasers into a monoculture and maintains antiquated programming and retards responsiveness, de-confliction, flexibility, enhancement, and the ability to evolve—antithetical to the very essence of Smart Agility. [28,48,cf.10] Nevertheless, EPIC provides “...the additional software layers for easy access to (standardized) clinical information and serves as an accessible, evaluable platform for collecting and analyzing clinical outcomes....”[28] EPIC can be conformed to shepherd data entry and pre-identify errors and error patterns at the moment clinicians enter data. [28,51,52] Thus, data points can be identified and evaluated virtually in real time, almost immediately enhancing accuracy and quality of data as well as informing medical service adjustments. [28, 60, 61,63, 67-79, cf. 64]

A reported challenge was that EPIC is ill-suited for back-loading data and information in the standard format, which results in multiple and expensive remediation efforts. [47, cf.80] Back-loading continues to be a chronic and long-term problem, resulting in maintenance and the attendant expense of supporting several different systems that EPIC was supposed to eliminate in the first place.[80] Conversely, EPIC is easily able to capitalize on its standardized real-time workplace data entry of medical-condition-service-for-fee codes to identify patterns and practices.[80] It permits non-intrusive, accurate, and virtually real-time identification for analyses that could continuously operate unnoticed in the background.[28,29,49,51,53,82]

EPIC’s standardized data-ready feature can be leveraged to track medical procedures and substantially reduce unplanned outcomes as well as facilitate clinically-based decision support.[46,47,81] EPIC’s front-end-back-end standardized data entry, and query and data report generator, have been validated to eliminate the expensive, repetitive loading of data into multiple different systems.[82,cf.83]

EPIC also scores high in terms of the Smart-Agile aspects of provision for the development of targeted automatic algorithms to inform and support cost-effective medical and organizational decisions while taking into account possible risks.[28,30, cf. 10; p.44]

Smart-agile systems consider responsive knowledge management key to high-quality, efficient healthcare, and they can alert and trigger marshalling of a substantial amount of comprehensive data to do so. [cf.10] Put differently, EPIC has shown the potential to support Smart-Agile healthcare through better information that increases quality with earlier, more appropriate, and less expensive treatments.[10,cf.84] Decision-makers can be enabled to make efficient and effective use of vastly increased amounts of data in modern information-driven healthcare industries. The capacity for more data in turn means more performance measures can be gauged. [1] This means a higher probability that healthcare organizations can quickly deliver the right products at the right time, with the right quality, and at the right price—the essence of Smart-Agile.[1, 85-87] Furthermore, adoption of Smart-Agile processes has been shown to direct service delivery toward a customer-oriented paradigm, which in turn supports agile decision-making in organizations, if not agility itself. [88]

Technological Somnambulism

Regarding technological constraints, EPIC fares less well according to the Smart-Agile criterion of “quality.”[25] Smart-Agile IT systems permit a degree of non-standardization in that customers/patients/stakeholders and their needs are non-standard with differing “preferences, personal characteristics, and conditions.”[10; p. 41] Then there are healthcare providers with differing backgrounds, professional roles, skills, training, and experience that must be accounted for.[10, also see 39] Therefore, to be Smart-Agile, healthcare IT systems must have both novel and standardize inputs, though EPIC tends to favor standardization.

Hard-stop-enabled standardized data entry comes with a downside, namely, risk of reflexive and non-reflective technology-driven hypnosis and even sleepwalking.[70-72, 90] EPIC suffers from issues surrounding all EHRs with meaningful use capabilities. Specifically, front-end data collection is shepherded, entailing overreliance on pre-determined (i.e., “canned”) forms and templates for information collection—as opposed to producing truly meaningful data.[29] This may be further complicated by polished and

slick-veneered electronic systems. This can be remedied by a dedicated team of medical experts, software designers and vendors updating and customizing forms and templates to capture relevant medical information throughout the medical care cycle—but those come at a steep price[29, 91, also see, 51] In this regard, a similar drawback with EPIC is that it does not permit entering more specific or different information[28], except through the incorporation of expensive add-ons that detract from its overall efficiency.[27, 82,92,93]

In terms of EHR product development, because the EHR development cycle is regulated, and thus lengthy, it also is expensive—anathema to Smart-Agile healthcare IT systems aspect [4, 10, 55, 74, 96; p.40, cf.58,64,78,79,83,93,94,95, also see 97]. Yet EPIC offers modifiable off-the-shelf packages that that keep costs relatively low and have the capability for continuous innovation and improvement in general. [27] Nevertheless, those innovations do involve costly teams of experts and designers, and so they score low in terms of Smart-Agility healthcare IT systems[10; p.41, 1] It is probably no better or worse in this area than other meaningful-use EHRs.

Time Commitments and Productivity

This is another area where EPIC does not fare well according to Smart-Agile IT healthcare systems aspects; specifically, additional expense and work burden on end-users.[10; p.41] Several issues are unescapable with all meaningful-use EHRs that turn clinicians into data entry clerks. One is the additional time commitment of entering data loaded onto the already time-intensive commitments of clinical practice. [50,56,82,83,89,90,97, also see 27,47,81] EPIC seems to be no different. Added documentation in EPIC also adds burden on healthcare providers.[83,98] However, the resulting seamless data analysis may be well worth the effort from providers' perspectives. Nevertheless, there is that substantial "after hours' time tax" to enter information.[56, 83,98,99,100,101,102]

Two, what really makes EPIC truly desirable for outcomes measurement, program evaluation, and research are its hard stops. [29, 65, 76, 96, 100, 101, 103, 104] However, they also pose a severe detraction or Achilles' heel in that they disrupt smooth workflow and also result in end-use dissatisfaction.[70,cf.68, also

see 47] Nevertheless, it has been noted that medical providers' productivity work volume, charges, and work relative to volume units actually increases with EPIC; the caveat is that it takes several months of a painful learning curve to realize increased productivity. [81,also see 105, cf.63, 80,83,99,100,101,102,106]

Real-time Data Warehousing and (Patient-centered) Efficient Production of Outcome Measures

Competitive agility, in accordance with Smart-Agility healthcare IT systems, is predicated on IT systems that are positioned "to produce, capture, store, process, and communicate." [10;p.41, also see 25]** Therefore, EPIC excels on this particularly critical Smart-Agility IT healthcare systems metric.

EPIC excels when it comes to drawing on the vast warehouse of data it stores and generating reasonably accurate (and extremely timely) outcome measures, which is eponymously the essence of "meaningful use." [71, 72, 90,also see27, 29, 46, 49, 54-56, 61,62,67,74,78,80,107,108,109] EPIC has been shown to substantially decrease multi-center decision support systems and time-to-decision, and physician's use of data to dramatically improve accurate diagnosis and treatment. [49,cf. 71-72] It has been shown that physicians using EPIC for data output substantially and geometrically improves accurate diagnosis; however, some of this was not possible without add-on programs that helped analyze the raw data that the back-end of EPIC produced.[81,89, cf. 27,47,71,90,102,108, also see, 49] There is substantial support for EPIC being the ideal front-end-to-back-end interface between required documentation and clinical research.[3, 51, 61, 71, 82, cf.47, also see, 79,107,108,110].

Another feature of IT systems that enable agility is that they provide secure, high-quality data exchange essential to efficient health care[10; p.41], which the literature clearly suggest EPIC provides. In this regard, EPIC's capability in accordance with this Smart-Agile healthcare IT systems is remarkable; EPIC "overcomes the healthcare barriers involved with data-driven and analytical decision including but not limited to: incomplete personal healthcare data, unconnected or silo'ed data, large amounts of unstructured data, and even paper-based records." [10; p.41] The literature suggests EPIC has a track record—per Smart-Agile IT

systems criterion— of ‘high-quality, secure, compliance-driven, intra-operability enabled by healthcare experience and geared toward efficient change and process management.’[10;p.41] EPIC enhances big-data enabling of business intelligence (BI) as well as knowledge-management for the collection, analysis, and dissemination of substantial amounts of structured and unstructured data for quick actionable and accurate decisions.[106] And “big data” promises yet-untapped potential of insights into miracle cures, disease etiology, waste prevention, and every imaginable realm of healthcare to include informing Smart-Agile decisions.[22]*

Enhanced Patient Safety

Critical to Smart-Agile healthcare IT systems is the “provision of informed seamless patient-centric for actionable healthcare delivery paramount of which is the maintenance of patient safety.”[10; p.43, also see 25, cf.88] EPIC’s ability to quickly and accurately derive outcome measures is critical in terms of efficient and timely identification of potentially deadly patient hazards and targeting those patients for intervention.[49, 59,61,74,75,81,97,100, 106-108, 111-116, cf.57] EPIC is a powerful tool to monitor adherence to prescribing best practices, but only with rather expensive add-ons with which to conduct analyses and a lot of hard stops interfering with workflows.[also see 29,81,89,117, also see,75,77,79]

EPIC facilitates the coordination of patient healthcare to promote safety and long-term wellness, while remaining cost-effective through comparable patient notes.[10;p. 39-40] And Smart-Agile healthcare IT systems lend themselves to the aspect of “development of tools to better real-time monitor processes and outcomes to include safety, and in particular for the healthcare industry, patient safety.”[cf.10] EPIC’s ability to standardize and connect resources “accelerates patient recoveries, enhances evidence-based practices and less-expensive preventive medicine—and thus, provide Smart-Agile improved care.”[10, also see,22]

Patient Tracking and Follow-up

A critical cornerstone of Smart-Agile healthcare IT systems concept is systems integration, i.e., inter-operability and inter-connectivity that permits ease

of follow-up in the interest of continuity of care and also safety. [10; p.41, also see 25] EPIC’s ability to accurately derive and report information in almost real time to identify patient safety risks also lends itself to excellent patient tracking, monitoring, and follow-up.[28, 29, 46, 61, 73, 94, 95, 107, 117] EPIC is an excellent system for electronically tracking patients and their procedures, and documenting complications, risks, and sources of unplanned outcomes.[46] EPIC also provides an excellent data recording system for conducting inexpensive, continuous four-year longitudinal patient surveys; it also permits easy aggregation by type and level of complications, though this requires expensive add-on algorithms.[117, cf.69] In this regard, EPIC also scores high on another Smart-Agile healthcare IT system criterion, service provision, including personalized medicine and the connectivity features to support that [10; p.41, also see 25].

End-user Satisfaction

According to Smart-Agile IT healthcare systems, end-users’ satisfaction is critical because it relates to a large degree to stakeholder buy-in (as end-users are one group of stakeholders).[10; p.41] Specifically, users’ satisfaction with their healthcare IT system is important because “healthcare organizations represent powerful stakeholders whose concern is high-quality healthcare provision and delivery, not learning or wrestling with IT.”[10; p.41]

End-user satisfaction is one area where EPIC scores are mediocre or even low or failing; the range of physician average satisfaction rates are between 50 – 75% depending on the particular EPIC feature. [3,27,102,104,106,109,118,cf.47] One key feature that resulted in the most end-user dissatisfaction was EPIC’s “Reminder(s)”; they operate much like its hard stops in that they must be addressed before proceeding with workflow.[29,47,70,89,cf.106] This clearly detracts from EPIC’s usefulness in terms of preventive medicine and patient safety. Overburdening and overwhelming medical treatment providers with best practices advisories in large numbers generate scores of complaints.[47,cf.106] Marked improvement on end-user satisfaction was noted when limits were placed on Reminders.[70,89] Nevertheless, Reminders significantly improve compliance among providers in terms of orders

and rates of adherence to directive and documentation. [70-72] This may be why EPIC works better than other EHRs that use passive collection in terms of outcomes. But extreme dissatisfaction has been noted with it and results in less-than-optimal use of some key EPIC functions. One reason the end-users feel this way is that data entry for them is inefficient and too time-consuming.[cf.3, 29, 47, 55, 63, 70, 76, 77, 79, 89, 106, 110] Smart-Agile healthcare IT systems must be efficient to warrant their cost, and EPIC probably needs improvement regarding this end-user feature. Put differently, it needs to clearly demonstrate value-added in terms of time-consuming data entry.[10; p.44]

Patient Involvement

A critical aspect insinuated throughout Smart-Agile healthcare IT systems is patient involvement in their healthcare via IT systems—an area where EPIC has shown a track record and vast potential.[10; p.39] Specifically, Smart-Agile healthcare IT systems must involve patients as primary end-users (a.k.a., stakeholders).[10; p.39] The promotion of patient-centric wellness involves the unified amalgamation of different IT delivery systems.

EPIC's connectivity and ability to electronically transmit real-time medical chart information securely over the Internet has vast potential regarding proactive integration of patients into the management of their own healthcare[27,34,47], even older non-tech-savvy patients.[93] This can enable and empower patients to easily and smoothly transfer or upload images and documents from outside sources and physicians to shift their patient management to more virtual vs. less face-to-face encounters.[47]

According to Smart-Agile healthcare IT systems aspects, EPIC's aim to consolidate processes and simplify, demystify, and automate business practices—while involving patients in their healthcare—creates and synchs a collaboration between patients as valued partners with providers.[10;p. 41] As such, EPIC has the potential to involve both patients and providers as co-producers in Smart-Agile medical treatment, and this will alter the fundamental pattern of those interactions.

Of course, all this requires a common (i.e., standardized) language that EPIC facilitates. And

according to Smart-Agile healthcare IT systems rationale, process orientation has been shown overall to support cost reductions, improve product quality and customer satisfaction, and decrease the production cycle time.[10; P.41, cf. 88]

Training

The literature on Smart-Agile healthcare IT systems appears to understate ongoing training that must necessarily accompany dynamic IT systems. Thus it is considered non-critical[25] Nevertheless, there has been identification in the EPIC literature of the essential need for ongoing training in terms of transitioning and exploiting EPIC's potential to its fullest[47,59,61, 63,77,104,105,109,121,cf.80] Smart-Agile healthcare IT systems literature tends to view training as an additional expense and encumbrance to be avoided, as opposed to an investment in the future in terms of responsiveness and efficiency.[119,120, cf.79] Perhaps this is an area that the Smart-Agile IT systems researchers and proponents should reconsider as vital and revisit.

Potential Use in Medical Education

The Smart-Agile healthcare IT systems proponents recognize that Smart-Agile systems represent a platform from which to deliver healthcare training to healthcare professionals; this is considered a critical aspect.[10; p.41,44, also see 25, 26, 39] EPIC also has potential as a tool for the delivery of medical training and education. [27, 29, 60, 83, 90, 95, 98, 105, 106, 121] However, EPIC's standardized templates impose limits on documenting and dictation and thus detract from its potential for medical education in terms of extemporaneity.[90, also see 27,29,98]. Hence, EPIC appears to adhere to the Smart-Agile healthcare IT systems criterion of encouraging the involvement of healthcare providers—the “powerful” stakeholders in healthcare organizations—in the IT systems as generators of high-quality data and recipients of up-to-date healthcare training with the aim of ultimately improving patient care through informed analytic decision of best practices. [10; p.44, also see 39]

Report Card on EPIC in Terms of Smart-Agile Healthcare IT Systems

The findings in the literature review in this article on EPIC' meaningful use features graded in terms

of Smart-Agile healthcare IT systems aspects are summarized in the "Report Card" that is depicted in Table 1. Scoring of themes was simple nominal presence or absence in terms of synthesized summary statements of meaningful use features with referenced citations in the literature. Nominal presence / absence avoids subjectivity that would be encountered with Ordinal – Ratio numeric scoring. Criticality was determined according to the necessity / criticalness in terms of Smart-Agile aspects. Note: EPIC's meaningful use features potential to meet or not meet Smart-Agility aspects were also counted as presence and absence respectively—not a subjective matter of degree.

Table 1 depicts that, when EPIC is graded in terms of Smart-Agile healthcare IT aspects, EPIC's meaningful-use components appear mediocre at best (7 out of 11), and fail at worst (6 out of 11). However, EPIC succeeds and excels on Smart-Agile healthcare IT systems aspects that are the most central, critical and valuable (7 out of 8) in terms of informing healthcare organizations' decisions and their patients' care, specifically: Standardized Data Collection / Connectivity,

Real-Time Data Warehousing/Outcome Measures, Enhanced Patient Safety, Patient Tracking and Follow-up (Continuity of Care), Patient Involvement, and Potential Use in Medical Education. Also, this work highlighted an area that Smart-Agile healthcare systems should consider, namely, IT education.

Conclusion

This work reported a comprehensive best-practices literature review derived from peer-reviewed articles on "meaningful use" features of EPIC's EHR system related to their potential to fulfill the Smart-Agile healthcare IT systems concept—that is, their ability to inform and enable agile healthcare organization decisions and patient care. As such, this work derived a presence-absence report card on EPIC's ability to afford smart use and enhance Smart-Agility—the report card was mixed.

This comparative review revealed that EPIC provides a rigorous front-end-to-back-end system for the rapid collection and inter-connected management of medical records information that lends itself to efficient

Table 1. EPIC Report Card

Rating	EPIC Meaningful Use Features	Critical / Non-Critical
+	Standardized Data Collection	C
-	Technological Somnambulism	NC
+	Real-time Data Warehousing and (Patient-centered) Efficient Production of Outcome Measures	C
-	Time Commitment and Productivity	NC
+	Enhanced Patient Safety	C
+	Patient Tracking / Follow-up and Continuity of Care	C
-	End-user Satisfaction	C
+	Patient Involvement	C
(+)	(IT) Training	NC
+	Potential Use for Medical Education	C

reporting and informing agile management decisions. Thus, it truly has the ability to accurately inform Smart-Agile organizational advancement, in particular for patient medical treatment and healthcare organizations in general.

Nevertheless, that accuracy and rigor is achieved at a (hidden) cost, specifically, increased workloads on medical practitioners and various cross-team over-commitments that result in inefficiency, which in turn detracts from agility and is not smart use. The question in terms of agility is: At what point does the price exceed the benefit of agility sought, so that it is no longer a smart use investment?

Researcher experience clearly suggests that EPIC can provide substantial raw data that can be further refined with add-on analytic tools, auto-algorithms, or hands-on user analyses. EPIC's exacting and comprehensive (auto) interconnected data collection lends itself to nearly real-time provision of information to powerfully improve the accurate responsiveness and agility of healthcare organizations and medical treatment decisions.[28]

Thus, EPIC has the unparalleled ability to augment agility in terms of enhancing patient safety and tweak treatment adjustments accordingly—through not only comprehensive inter-connected data but also limited and worthwhile reminders and hard-stops. Conversely, increased and unwarranted data entry and hard stop reminders are not smart use; they detract from agility in that this can cause extreme dissatisfaction in end-users as well as frustration, aggravation, and burn-out in busy medical practitioners.

Furthermore, used indiscriminately, EPICs standardization is not Smart-Agile nor contributes to agile practice and decisions. This is the flipside and danger of meaningful use systems, namely, Technological Somnambulism. Specifically, the computer is doing the leading and driving. Cognizant organizational decision makers and practitioners switch to auto-pilot and are just blindly along for the ride. Without analytically sharp decision-makers at all levels using the high-quality information EPIC culls to inform Smart-Agile practices, the computer becomes an end in itself rather than a means or tool to an agile end. EPIC does favor consistency and relationships where, if unguided by

discerning and reflective medical insight, EPIC's medical information could easily become vacuous and powerless, especially in terms of Smart Agility.

Nevertheless, EPIC's most profound and yet-to-be-tapped benefit to users is as an IT teaching tool. Note, this is a feature overlooked in terms of smart and agile use, and should be included in any future discourses. EPIC has also shown great promise in terms of synergizing patient connectivity and involvement in their own healthcare—which is an aspect of smart use and agility.

The report card on EPIC is mixed. Yet it should be noted that Smart-Agility is an ideal. And all IT systems are imperfect at best. Nevertheless, as EPIC increasingly governs large swathes of EHR market shares and makes inroads into other IT markets that involve records, the challenge will be whether users can overcome its inflexibility and accommodate more aspects of Smart-Agile use.[cf.48] EPIC, like all meaningful use IT healthcare systems, has federally mandated features. Thus, another important question is how well EPIC's competitors do in terms of smart use and agility and whether the ideal of the Smart-Agility concept is even a fair test for software never originally designed with this in mind. These considerations were not the province of this study but will be matters for future investigations.

***Note:** A hard stop is a prompt that will not allow an operation to proceed without entering particular data in a standard and correct format.

****Note:** This is variously referred to in the Smart-Agile literature as "portfolio management," that is, Smart-Agile decisions based on valid and sufficient information derived from interoperability, stability, compressive-ness, and rigor, and continuously aimed at project operations in competitive and turbulent situations to seize opportunities and advance healthcare organization goals.[87]

Declarations

Ethical Approval and Consent to Participate

Non-applicable, this was a review of open-source documents and analyses of anonymous publically available data.

Consent for Publication

Yes.

Availability of Data and Materials

The “datasets” used and/or analyzed during the current study are available from the corresponding author on reasonable formal request.

Competing Interests

None Declared.

Funding

Non-applicable, this research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Authors' Contribution

Non-applicable, there is one sole Author.

Acknowledgements

The Author wishes to gratefully acknowledge in-kind support of the Department of Lymphoma and Myeloma, UT-MD Anderson Cancer Center, Houston, TX. in the preparation of this manuscript. Also, the author thanks Ms. Deborah Davis for her encouragement in pursuing the subject matter and proof of concept and Ms. Aileen “Acey” Cho freelance-copy editor for proofing and copyediting drafts. The opinions expressed are solely those of the Author.

Corresponding author

Reprints and correspondence should be addressed to the author at ralph.johnson@txsg.state.tx.us, or rjohnson@mdanderson.org, UT-MDACC, Unit 429, 1515 Holcombe, Houston, Texas, 77030-400, U.S.A.. (713-745-2207; 832-372-3511)

References

1. Wu C and Barnes D. A dynamic feedback model for partner selection in agile supply chains January 2012. *Int J Ops & Prod Man*; 32(1): 79-103 DOI:10.1108/01443571211195745 https://www.researchgate.net/publication/235272587_A_dynamic_feedback_model_for_partner_selection_in_agile_supply_chains
2. Håkansson H & Snehota I. No business Is an Island: The Network Concept of business strategy. *Scan J Man*. 1989; 22. 187-200. 10.1016/0956-5221(89)90026-2. https://www.researchgate.net/publication/223903760_No_Business_Is_an_Island_The_Network_Concept_of_Business_Strategy
3. Lin CR, Chiu H, and Chu PY. Agility index in the supply chain. *Int J of Prod Econ*: 2006; 100, 2, 285-299. [http://www.sciencedirect.com/science/article/pii/S0925-5273\(04\)00445-1](http://www.sciencedirect.com/science/article/pii/S0925-5273(04)00445-1)
4. Christopher M and Lee H. Mitigating supply chain risk through improved confidence. *Int J Phys Dist & Log Man*.2004: 34. 388-396. 10.1108/09600030410545436. https://www.researchgate.net/publication/237323750_Mitigating_supply_chain_risk_through_improved_confidence
5. Christopher M and Peck H. Building the resilient supply chain. *Int Log Man*. 2004: 15. 1-13. 10.1108/09574090410700275. https://www.researchgate.net/publication/228559011_Building_the_Resilient_Supply_Chain
6. Christopher M and Towill D. (2000). Supply Chain Migration From Lean and Functional to Agile and Customised. *Sup Chain Man-Int J*. 2000: 5. 206-213. 10.1108/13598540010347334. https://www.researchgate.net/publication/247628650_Supply_Chain_Migration_From_Lean_and_Functional_to_Agile_and_Customised
7. Kleindorfer PR and Van WassenhouseLN. Managing the risk in the global supply chain in Gantignon H and Kimberly JR (eds), *The INSEAD-Wharton Alliance on Globalization: Strategies for Building Successful Global Business*, Cambridge University Press, London, 2004: 288-331. <https://www.amazon.com/INSEAD-Wharton-Alliance-Globalizing-Strategies-Successful/dp/0521835712>
8. Prater E, Biehl M and Smith M. International Supply Chain Agility—Tradeoffs between Flexibility and Uncertainty. *Int J Ops & Prod Man*. 2001: 21, 1- 30. 10.1108/01443570110390507. https://www.researchgate.net/publication/228711385_International_Supply_Chain_Agility-

- Tradeoffs_between_Flexibility_and_Uncertainty
9. Banihashemi, SA and Sarani Ah. Assessment of organizational agility in cement industry. *Africa J Bus Man.* 2012: 6, 27, 8055-8064. 10.5897/AJBM11.2124. https://www.researchgate.net/publication/269673234_Assessment_of_organizational_agility_in_cement_industry
 10. Demirkan, H. Smart healthcare systems framework: More service oriented, instrumented, interconnected and intelligent," *IEEE IT Professional*, 2013, September/October, 38-45. <https://ieeexplore.ieee.org/document/6515977>
 11. Tolf S, Nystrom ME, Tishelman C, Brommels M, et al. Agile, a guiding principle for health care improvement? *Int J Health Care Qual Assur.* 2015, 28(5), 468-93. doi: 10.1108/IJHCQA-04-2014-0044. PMID: 26020429 DOI: 10.1108/IJHCQA-04-2014-0044 https://www.researchgate.net/publication/274927850_Agile_a_guiding_principle_for_health_care_improvement
 12. Sheffi Y. Demand, variability, and supply chain flexibility, in Prockl G (ed.) *Contributions in Logistics*, University of Nurnberg, Nurnberg. https://link.springer.com/chapter/10.1007%2F978-3-322-89044-3_5
 13. Swarfford PM, Ghosh S and Murthy N. A framework for assessing value chain agility. *Int J Ops and Prod Man*, 2006: 26, 2, 118-40. https://www.researchgate.net/publication/235316239_A_framework_for_assessing_value_chain_agility
 14. Jain V, Benyoucef L, and Deshmukh. A balanced approach to building agile supply chains, *Int J Phys Dist & Log Man.* 2008, 46, 23, 6649 – 77. https://www.researchgate.net/publication/220119323_A_new_approach_for_evaluating_agility_in_supply_chains_using_Fuzzy_Association_Rules_Mining
 15. Li X, Chuang C, Goldsby TJ and Holsapple CW. A unified model of supply chain partnering under limited evaluation resources. *Int J Man*, 2008, 20, 6, 675 – 91. http://scholar.google.com/scholar_url?url=https://www.researchgate.net/profile/Chen_Chung/publication/241619405_A_Unified_Model_of_Supply_Chain_Agility_The_Work-Design_Perspective/links/5c0482fd299bf1a3c15e3df5/A-Unified-Model-of-Supply-Chain-Agility-The-Work-Design-Perspective&hl=en&sa=X&scisig=AAGBfm0qp52mRNnbHqTp-Bk5fvyL2UqbGw&nossl=1&oi=scholar
 16. Charles A, Lauras M, and Van Wassen L. A model to define and assess the agility of supply chains: Building on humanitarian experience. *Int J Phys Dist and Log Man*, Emerald. 2010, 40 (8-9), 772 – 741. [ff10.1108/09600031011079355ff. fffhal01685417https://hal.archives-ouvertes.fr/hal-01685417/document](https://hal.archives-ouvertes.fr/hal-01685417/document)
 17. Slack, N. The flexibility of manufacturing systems, *Int J Ops & Prod Man*, 2005: 25, 12, 1190-200. https://www.researchgate.net/publication/235290063_The_Flexibility_of_Manufacturing_Systems
 18. Yusuf YY, Sarhadi M. and Gunasekaran A. Agile manufacturing: the drivers, concepts and attributes, *Int J Prod Econ*, 1999: 62 Nos 1/2, 33-43. <https://www.sciencedirect.com/science/article/abs/pii/S0925527398002199>
 19. Sharifi H. and Zhang Z.. A methodology for achieving agility in manufacturing organisations: An introduction, *Int J Prod Econ*: 1999, 62 1/2, 7-22. https://www.researchgate.net/publication/240260016_A_Methodology_for_Achieving_Agility_in_Manufacturing_Organizations
 20. Giachetti RE, Martinez LD, Saenz OA and Chen C-S. Analysis of the structural measures of flexibility and agility using a measurement theoretical framework, *Int J Prod Econ*: 2003, 86, 1, 47-62. https://www.researchgate.net/publication/4917322_Analysis_of_the_Structural_Measures

- of_Flexibility_and_Agility_Using_a_Measurement_Theoretical_Framework
21. Sorkin, A. (2007). When unequals try to merge as equals. *New York Times*. February, 25. <http://www.nytimes.com/2007/02/25/business/yourmoney/25deal.html>
 22. Nambiar R, Sethi A, Bharwaj R, and Varghese R. A look at challenges and opportunities of Big Data Analytics in healthcare. *IEEE International Conference on Big Data*: 2013, 17-21. https://www.researchgate.net/publication/261151546_A_look_at_challenges_and_opportunities_of_Big_Data_analytics_in_healthcare
 23. Okongwu U, Lauras M, Humez V. and Dupont L.. A decision support system for optimizing order production fulfillment. *Production Planning and Control*. 2012, 23(8): 581-598. <https://www.tandfonline.com/doi/full/10.1080/09537287.2011.566230>
 24. Luo X, Rosenberg D, and Barnes PS. Supplier selection in agile supply chains: An information processing model and an illustration. *J Purchas & Suppl Man*, 2009, 15, 4, 249-62. https://www.academia.edu/30454435/Supplier_selection_in_agile_supply_chains_An_information-processing_model_and_an_illustration
 25. Linkevics G and Sukovskis. Evaluation of the agility of the organization. *App Computer Sys*: 2015, 18, 21-26. Doi: 10.1515/acss-2015-0015. https://www.researchgate.net/publication/297726066_Evaluation_of_the_Agility_Level_of_the_Organization
 26. Pipe TB, Buchda VL, Launder S, Hudak B, et al. Building personal and professional resources of resilience and agility in the healthcare workplace. *Stress Health*. 2012 Feb;28(1):11-22. doi: 10.1002/smi.1396. Epub 2011 Mar 13. PMID: 22259154 DOI: 10.1002/smi.1396. <https://onlinelibrary.wiley.com/doi/abs/10.1002/smi.1396>
 27. Makam AN, Lanham HJ, Batchelor K, Samal L et al. Use and satisfaction with key functions of a common commercial electronic health record: A survey of primary care providers. *BMC Med Inform Decision Making*: 2013, 13: 86. doi: 10.1186/1472-6947-13-86. PMID: 24070335 PMCID: PMC3750656 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3750656/pdf/1472-6947-13-86.pdf>
 28. Katzan I, Speck M, Dopler C, Urchek J et al. The Knowledge Program: An innovative, comprehensive, electronic capture system and warehouse. *AMIA Ann Symp Proc*. 2011;2011:683-92. Epub 2011 Oct 22. PMID: 22195124 PMCID: PMC3243190 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3243190/>
 29. Carberry K, Landman, Z, Xie M, Feeley T, et al. Incorporating longitudinal pediatric-centered outcome measurement into the clinical workflow using a commercial electronic health record: A step toward increasing value for the patient. *J Am Med Inform Ass*: 2016, 23: 88-93. doi: 10.1093/jamia/ocv125. PMID: 26377989 DOI: 10.1093/jamia/ocv125 <https://academic.oup.com/jamia/article/23/1/88/2380171>
 30. Porter ME and Teisberg E. *Redefining Health Care*. Boston, MA: Harvard Business Publishing, 2006: 97-148. https://www.hbs.edu/faculty/Publication%20Files/20060502%20NACDS%20-%20Final%2005012006%20for%20On%20Point_db5ede1d-3d06-41f0-85e3-c11658534a63.pdf
 31. Tierney WM. Improving clinical decisions and outcomes with information: A review. *Int J Med Inform*. 2001: 62:1-9. PMID: 11340002 DOI: 10.1016/s1386-5056(01)00127-7 <https://www.sciencedirect.com/science/article/abs/pii/S1386505601001277?via%3Dihub>
 32. Blumenthal D and Tavenner M. The "meaningful use" regulation for electronic health records. *N Engl J Med*: 2010, 363: 501-504. PMID: 20647183 DOI: 10.1056/NEJMp1006114 https://www.nejm.org/doi/full/10.1056/NEJMp1006114?url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed
 33. Services CfMM. EHR Incentive Program [online]. Available at <http://www.cms.gov/ehrincentiveprograms>.
 34. Gerber DE, Lacetti AL, Beibei C, Jingsheng Y, et al.

- Predictors and intensity of online access to electronic medical records among patients with cancer. *J Onc Pract*. 2014, September, e307-312. PMID: 25006222 PMID: PMC4161732 DOI: 10.1200/JOP.2013.001347 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4161732/>
35. Ferris N. "Meaningful Use" of electronic health records. *Health Aff*. 2010; http://www.healthaffairs.org/healthpolicybriefs/brief.php?brief_id=24.
36. Epic Electronic Health Record [Computer software]. Madison, WI: Epic; Madison, WI.
37. Roth M. In EMR market share wars, Epic and Cerner triumph yet again. *Hlth Ldrs*, April 30, 2019. <https://www.healthleadersmedia.com/innovation/emr-market-share-wars-epic-and-cerner-triumph-yet-again>
38. Johnson RJ. A Comprehensive Review of an Electronic Health Record System Soon to Assume Market Ascendancy: EPIC®. *J Healthcare Comm*, 1:4. DOI: 10.4172/2472-1654.100036. <https://healthcare-communications.imedpub.com/a-comprehensive-review-of-an-electronic-health-record-system-soon-to-assume-market-ascendancy-epic.php?aid=17222>
39. Izza S, Imache R, Vincent L, and Lounis Y. An Approach for the Evaluation of the Agility in the Context of Enterprise Interoperability in Mertins K, Ruggaber R, Popplewell K, and Xu X (eds.) *Enterprise Interoperability III: New Challenges and Industrial Approaches*. 2013, New York, NY; Springer Publications, 3-14. https://link.springer.com/chapter/10.1007/978-1-84800-221-0_1
40. Strauss A. and J. Corbin. *Basics of Qualitative Research – Techniques and Procedures for Developing Grounded Theory*, 4th ed., London, Sage Publications: 2014. ISBN-13: 9781412997461 9781483315683 ISBN-10: 1412997461 1483315681 <https://us.sagepub.com/en-us/nam/basics-of-qualitative-research/book235578>
41. Glaser BG and Strauss AL. *The Discovery of Grounded Theory: Strategies for Qualitative Research*. Aldine Transaction; New Brunswick, 1967 (Reprinted 2006). <https://books.google.com/books?hl=en&lr=&id=GTMrDwAAQBAJ&oi=fnd&pg=PP1&dq=Glaser+BG+and+Strauss+AL.+The+Discovery+of+Grounded+Theory&ots=Js0iKBzvKW&sig=5JoMdPJW1wXatjQp6FK6RrYgxVo#v=onepage&q=Glaser%20BG%20and%20Strauss%20AL.%20The%20Discovery%20of%20Grounded%20Theory&f=false>
42. Ramalho R, Adams P, Huggard P, Hoare K. Literature review and constructivist grounded theory methodology. *Forum Qual Soc Res*. 2015;16(3):19. <http://www.qualitative-research.net/index.php/fqs/article/view/2313>
43. Liberati A, Altman D, Tetzlaff J, Mulrow C, et al., The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *BMJ*. 2009 Jul 21;339:b2700. doi: 10.1136/bmj.b2700. PMID: 19622552 PMID: PMC2714672 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2714672/>
44. Liberati A, Altman DG, Tetzlaff J, Mulrow C, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *J Clin Epidemiol*. 2009 Oct;62(10):e1-34. doi: 10.1016/j.jclinepi.2009.06.006. Epub 2009 Jul 23. PMID: 19631507 [https://linkinghub.elsevier.com/retrieve/pii/S0895-4356\(09\)00180-2](https://linkinghub.elsevier.com/retrieve/pii/S0895-4356(09)00180-2)
45. Moher D, Shamseer L, Clarke M, Ghersi D, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev*. 2015 Jan 1;4:1. doi: 10.1186/2046-4053-4-1. PMID: 25554246 PMID: PMC4320440 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4320440/>
46. DeBoer EM, Prager JD, Kerby GS, and Stillwell PC. Measuring pediatric bronchoscopy outcomes using Electronic Medical Record. *Ann Am Thorac Soc*. 2016; Jan 27. doi: 10.1513/AnnalsATS.201509-576OC. PMID: 26816220 PMID: PMC6137899 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6137899/>
47. Bornstein S. An integrated EHR at Northern

- California Kaiser-Permanente. *App Clin Inform*: 2012 Aug 8;3(3):318-25. doi: 10.4338/ACI-2012-03-RA-0006. doi: 10.4338/ACI-2012-03-RA-0006 PMID: PMC3613027 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3613027/pdf/ACI-03-0318.pdf>
48. Koppel R and Lehmann CU. Implications of an emerging EHR monoculture for hospitals and healthcare systems. *Am Med Inform Assoc*: 2015, Mar; 22(2):465-71. doi: 10.1136/amiajnl-2014-003023. PMID: 25342181 DOI: 10.1136/amiajnl-2014-003023 <https://academic.oup.com/jamia/article-lookup/doi/10.1136/amiajnl-2014-003023>
49. Grigoryan L, Zarob R, Wang H, and Trautner BW. Low concordance with guidelines for treatment of acute cystitis in primary care. *Open Forum Infect Dis*. 2015 Oct 26;2(4):ofv159. doi: 10.1093/ofid/ofv159. eCollection. PMID: 26753168 PMID: PMC4675917 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4675917/>
50. Lindholm C, Adsit R, Bain P, Reber PM, et al. A demonstration project for using the electronic health record to identify and treat tobacco users. *WMJ*: 2010 Dec;109(6):335-40.. PMID: PMC3587763 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3587763/pdf/nihms-433854.pdf>
51. Bellon JE, Stevans JM, Cohen SM, James AE 3rd, et al. Comparing advanced practice providers and physicians as providers of e-visits. *Telemed J E Health*: 2015, Dec; 21 (12): 1019-26 doi: 10.1089/tmj.2014.0248. Epub 2015 Jul 10. PMID: 26161623 DOI: 10.1089/tmj.2014.0248 https://www.liebertpub.com/doi/abs/10.1089/tmj.2014.0248?rfr_dat=cr_pub%3Dpubmed&url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&journalCode=tmj
52. Beck JD, Deegan JH, Riehl JT, and Klena JC. Incidence of scapholunate ligament dissociation in patients with aspiration-confirmed gout. *J Hand Surg Am*: 2010, Dec; 35(12): 1938-42. doi: 10.1016/j.jhsa.2010.08.009. Epub 2010 Oct 25. [https://linkinghub.elsevier.com/retrieve/pii/S0363-5023\(10\)00961-5](https://linkinghub.elsevier.com/retrieve/pii/S0363-5023(10)00961-5)
53. Stirling A, Tubb T, Reiff ES, Grotegut CA, et al. Identified themes of interactive visualizations overlaid onto EHR data: an example of improving birth center operating room efficiency. *J Am Med Inform Assoc*. 2020 Mar pii: ocaa016. doi: 10.1093/jamia/ocaa016. [Epub ahead of print] 32181803 10.1093/jamia/ocaa016 <https://academic.oup.com/jamia/article-abstract/27/5/783/5809105?redirectedFrom=fulltext>
54. Peticolas K, Khairat S, Seashore C, Law J. Physician-Led EHR Customization Tracking Assessments for Pediatric Patients with Turner Syndrome. *Stud Health Technol Inform*. 2019 Jul 4;262:276-279. doi: 10.3233/SHTI190072. PMID: 31349321 <http://ebooks.iospress.nl/publication/51734>
55. Lewinski AA, Drake C, Shaw RJ, Jackson GL, et al. Bridging the integration gap between patient-generated blood glucose data and electronic health records. *Stud Health Technol Inform*. 2019 Jul 4;262:276-279. doi: 10.3233/SHTI190072. PMID: 31349321 <https://academic.oup.com/jamia/article/26/7/667/5476183>
56. Fixen DR, Linnebur SA, Parnes BL, Vejar MV, et al.. Development and economic evaluation of a pharmacist-provided chronic care management service in an ambulatory care geriatrics clinic. *Am J Health Syst Pharm*. 2018 Nov 15;75(22):1805-1811. doi: 10.2146/ajhp170723. Epub 2018 Aug 13. PMID: 30104259. <https://academic.oup.com/ajhp/article-abstract/75/22/1805/5220686?redirectedFrom=fulltext>
57. Sanelli-Russo S, Folkers KM, Sakolsky W, Fins JJ, et al.. Meaningful Use of Electronic Health Records for Quality Assessment and Review of Clinical Ethics Consultation. *J Clin Ethics*. 2018 Spring;29(1):52-61. PMID: 29565797
58. Mansour R and Master S. Automating Quality Oncology Practice Initiative Quality Measure NHL78a. *JCO Clin Cancer Inform*. 2017 Nov;1:1-6. doi: 10.1200/CCI.17.00038. PMID: 30657389. https://ascopubs.org/doi/full/10.1200/CCI.17.00038?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3Dpubmed
59. Dusek JA, Griffin KH, Finch MD, Rivard RL, et al.. Cost Savings from Reducing Pain Through the

- Delivery of Integrative Medicine Program to Hospitalized Patients. *J Altern Complement Med.* 2018 Jun;24(6):557-563. doi: 10.1089/acm.2017.0203. Epub 2018 Feb 23. PMID: 29474095 PMCID: PMC6006422 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6006422/>
60. Federman A, Sarzynski E, Brach C, Francaviglia P, et al.. Challenges optimizing the after visit summary. *Int J Med Inform.* 2018 Dec;120:14-19. doi: 10.1016/j.ijmedinf.2018.09.009. Epub 2018 Sep 15. PMID: 30409339 PMCID: PMC6326571. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6326571/pdf/nihms-991448.pdf>
61. Carter ZA, Goldman S, Anderson K, Li X. Creation of an Internal Teledermatology Store-and-Forward System in an Existing Electronic Health Record: A Pilot Study in a Safety-Net Public Health and Hospital System. *JAMA Dermatol.* 2017 Jul 1;153(7):644-650. doi: 10.1001/jamadermatol.2017.0204. PMID: 28423156 PMCID: PMC5817461 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5817461/>
62. Milinovich A and Kattan MW. Extracting and utilizing electronic health data from Epic for research. *Ann Transl Med.* 2018 Feb; 6(3): 42. doi: 10.21037/atm.2018.01.13 PMCID: PMC5879514 PMID: 29610734 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5879514/pdf/atm-06-03-42.pdf>
63. Helmers R, Doebbeling BN, Kaufman D, Grando A, et al.. Mayo Clinic Registry of Operational Tasks (ROOT): A Paradigm Shift in Electronic Health Record Implementation Evaluation. *Mayo Clin Proc Innov Qual Outcomes.* 2019 Aug 23;3(3):319-326. doi: 10.1016/j.mayocpiqo.2019.06.004. eCollection 2019 Sep. PMID: 31485570 PMCID: PMC6713835 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6713835/>
64. Bernstein SL, Rosner J, DeWitt M, Tetrault J, et al.. Design and implementation of decision support for tobacco dependence treatment in an inpatient electronic medical record: a randomized trial. *Transl Behav Med.* 2017 Jun;7(2):185-195. doi: 10.1007/s13142-017-0470-8. PMID: 28194729 PMCID: PMC5526813 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5526813/pdf/13142_2017_Article_470.pdf
65. McDowell J, Wu A, Ehrenfeld JM, Urman RD. Effect of the Implementation of a New Electronic Health Record System on Surgical Case Turnover Time. *J Med Syst.* 2017 Mar;41(3):42. doi: 10.1007/s10916-017-0690-y. Epub 2017 Jan 27. PMID: 28130725. <https://dx.doi.org/10.1007/s10916-017-0690-y>
66. <https://www.epic.com/CareEverywhere/>
67. Schleelein J, Vincent AM, Jawad AF, Pruitt EY, et al. Pediatric perioperative adverse events requiring rapid response: a retrospective case-control study. *Paediatr Anaesth.* 2016 Jul;26(7):734-41. doi: 10.1111/pan.12922. Epub 2016 May 19. PMID: 27198531 <https://onlinelibrary.wiley.com/doi/abs/10.1111/pan.12922>
68. Onuha OG, Hatch MB, Miano TA, Fleisher LA. The incidence of un-indicated preoperative testing in a tertiary academic ambulatory center: a retrospective cohort study. *Perioper Med (Lond).* 2015 Dec 15;4:14. doi: 10.1186/s13741-015-0023-y. eCollection 2015. PMID: 26677410 PMCID: PMC4681056 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4681056/>
69. Krasnowski MD, Wilford JD, Howard W, Dane SK. Implementation of Epic Beaker Clinical Pathology at an academic medical center. *J Pathol Inform.* 2016; 7: 7. Published online 2016 Feb 5. doi: 10.4103/2153-3539.175798 PMCID: PMC4763507 PMID: 26955505 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4763507/>
70. Langsjoen J, Goodell C, Castro E, Thomas J, et al. Improving compliance with cervical cancer screening guidelines. *Proc (Bayl Univ Med Cent).* 2015 Oct;28(4):450-3. PMID: 26424938 PMCID: PMC4569221 DOI: 10.1080/08998280.2015.11929305 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4569221/>
71. Unni S, Yao Y, Milne N, Gunning K, et al. An evaluation of clinical risk factors for estimating fracture risk in postmenopausal osteoporosis using an electronic medical record database. *Osteoporos Int.* 2015 Feb;26(2):581-7. doi: 10.1007/s00198-014-2899-7. PMID: 25288442 DOI: 10.1007/s00198-014-2899-7 <https://link.springer.com/article/10.1007%2Fs00198-014-2899-7>
72. Hayek S, Nieva R, Corrigan F, Zhou A, et al. End-of-

- life care planning: improving documentation of advance directives in the outpatient clinic using electronic medical records. *J Palliat Med.* 2014 Dec;17(12):1348-52. doi: 10.1089/jpm.2013.0684. PMID: 24988497 DOI: 10.1089/jpm.2013.0684 https://www.liebertpub.com/doi/abs/10.1089/jpm.2013.0684?rfr_dat=cr_pub%3Dpubmed&url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&journalCode=jpm
73. Bloomfield RA Jr, Polo-Wood F, Mandel JC, Mandl KD. Opening the Duke electronic health record to apps: Implementing SMART on FHIR. *Int J Med Inform.* 2017 Mar;99:1-10. doi: 10.1016/j.ijmedinf.2016.12.005. Epub 2016 Dec 12. PMID: 28118917 <https://www.sciencedirect.com/science/article/abs/pii/S1386505616302738?via%3Dihub>
74. Moreno-Iribas C, Sayon-Orea C, Delfrade J, Ardanaz E, et al.. Validity of type 2 diabetes diagnosis in a population-based electronic health record database. *BMC Med Inform Decis Mak.* 2017 Apr 8;17(1):34. doi: 10.1186/s12911-017-0439-z. PMID: 28390396 PMCID: PMC5385005 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5385005/>
75. Bush RA, Connelly CD, Pérez A, Barlow H. Extracting autism spectrum disorder data from the electronic health record. *Appl Clin Inform.* 2017 Jul 19;8(3):731-741. doi: 10.4338/ACI-2017-02-RA-0029. PMID: 28925416 PMCID: PMC6220703 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6220703/>
76. Wang JK, Ouyang D, Hom J, Chi J., et al.. Characterizing electronic health record usage patterns of inpatient medicine residents using event log data. *PLoS One.* 2019 Feb 6;14(2):e0205379. doi: 10.1371/journal.pone.0205379. eCollection 2019. PMID: 30726208 PMCID: PMC6364867 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6364867/>
77. Barclay C, Viswanathan M, Ratner S, Tompkins J, et al.. Implementing Evidence-Based Screening and Counseling for Unhealthy Alcohol Use with Epic-Based Electronic Health Record Tools. *J Comm J Qual Patient Saf.* 2019 Aug;45(8):566-574. doi: 10.1016/j.jcjq.2019.05.009. PMID: 31378277 [https://linkinghub.elsevier.com/retrieve/pii/S1553-7250\(19\)30101-1](https://linkinghub.elsevier.com/retrieve/pii/S1553-7250(19)30101-1)
78. Gori D, Banerjee I, Chung BI, Ferrari M, et al.. Extracting Patient-Centered Outcomes from Clinical Notes in Electronic Health Records: Assessment of Urinary Incontinence After Radical Prostatectomy. *EGEMS (Wash DC).* 2019 Aug 20;7(1):43. doi: 10.5334/egems.297. PMID: 31497615 PMCID: PMC6706996 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6706996/>
79. Del Fiol G, Kohlmann W, Bradshaw RL, Weir CR, et al.. Standards-Based Clinical Decision Support Platform to Manage Patients Who Meet Guideline-Based Criteria for Genetic Evaluation of Familial Cancer. *JCO Clin Cancer Inform.* 2020 Jan;4:1-9. doi: 10.1200/CCI.19.00120. PMID: 31951474 PMCID: PMC7000231 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7000231/>
80. Bain PA. Collaboration saves time. *W/MJ.* 2008 Dec; 107(8): 380-1. PMID: 19331008 <https://www.wismed.org/wisconsin>
81. Heidemann L, Law J, and Fontana RJ. A text searching tool to identify patients with idiosyncratic drug-induced liver Injury. *Dig Dis Sci.* 2017 Mar;62(3):615-625. doi: 10.1007/s10620-015-3970-8. Epub 2015 Nov 23. PMID: 26597192 PMCID: PMC4877288 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4877288/>
82. Sweet K, Gordon ES, Sturm AC, Schmidlen T, et al. Design and implementation of a randomized controlled trial of genomic counseling for patients with chronic disease. *J Pers Med.* 2014 Jan 8;4(1):1-19. doi: 10.3390/jpm4010001. PMID: 26597192 PMCID: PMC4877288 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4051230/pdf/jpm-04-00001.pdf>
83. Cox ML, Farjat AE, Risoli TJ, Peskoe S, et al. Documenting or Operating: Where Is Time Spent in General Surgery Residency? *J Surg Educ.* 2018 Nov;75(6):e97-e106. doi: 10.1016/j.jsurg.2018.10.010. PMID: 30522828. <https://www.sciencedirect.com/science/article/abs/pii/S1931720418302186?via%3Dihub>
84. Flatow VH, Ibragimova N, Divino CM, Eshak DS et al. Quality outcomes in the surgical intensive care unit after electronic health record implementation. *Appl Clin Inform.* 2015, Oct, 7:6(4): 611-18. Doi 10.4338/ACI-2015-04-RA-004. PMID: 26767058 PMCID: PMC4704031 <https://www.ncbi.nlm.nih.gov/>

- pmc/articles/PMC4704031/
85. Huang XG, Wong YS, and Wang JG. A two-stage manufacturing partner selection framework for virtual enterprise. *Int J Comp Int Man*, 16, 3, 153-64. <https://doi.org/10.1080/09511920310001654292> <https://vxremote.mdanderson.org/portal/webclient/index.html#/desktop>
86. Basel K, Knott D, van Kuiken S. The big-data revolution in US healthcare: Accelerating value and innovation: McKinsey & Company. 2013: April 13th. <https://www.mckinsey.com/industries/healthcare-systems-and-services/our-insights/the-big-data-revolution-in-us-health-care>
87. Kock A and Gemundsen HG. Antecedents to decision-making quality and agility in innovation portfolio management. *J Prod Innov Man*. 2016;33(6): 670-686. Doi: 10111/jpim.12336. <https://www.semanticscholar.org/paper/Antecedents-to-decision-making-quality-and-agility-Kock-Gemunden/2986e7b6b0e0d9ea93621f1139ab114a9b32e1e7>
88. Cleven A, Mettler T, Rohner P, and Winter R. Healthcare quality innovation and performance through process orientation: Evidence from general hospitals in Switzerland. *Tech Forecast & Soc Change*: 2016, 113, 386-395. DOI: 10.1016/j.techfore.2016.07.007 https://www.researchgate.net/publication/305385126_Healthcare_quality_innovation_and_performance_through_process_orientation_Evidence_from_general_hospitals_in_Switzerland
89. Chi J, Kugler J, Chu IM, Loftus PD. Medical students and the electronic health record: 'an epic use of time'. *Am J Med*. 2014 Sep;127(9):891-5. doi: 10.1016/j.amjmed.2014.05.027. Epub 2014 Jun 4. [https://linkinghub.elsevier.com/retrieve/pii/S0002-9343\(14\)00463-X](https://linkinghub.elsevier.com/retrieve/pii/S0002-9343(14)00463-X)
90. Hammoud MM, Margo K, Christner JG, Fisher J, Fischer SH, et al.. Opportunities and challenges in integrating electronic health records into undergraduate medical education: a national survey of clerkship directors. *Teach Learn Med*. 2012;24(3):219-24. doi: 10.1080/10401334.2012.692267. PMID: 22775785 <https://www.tandfonline.com/doi/abs/10.1080/10401334.2012.692267?journalCode=htmlm20>
91. Klehr J, Hafner J, Spelz LM, Steen S, et al. Implementation of standardized nomenclature in the electronic medical record. *Int J Nurs Terminol Classif*. 2009, 2009 Oct-Dec;20(4):169-80. doi: 10.1111/j.1744-618X.2009.01132.x. PMID: 19883454 <https://onlinelibrary.wiley.com/doi/full/10.1111/j.1744-618X.2009.01132.x>
92. Cheriff AD, Kapur AG, Qiu M, and Cole CL. Physician productivity and the ambulatory EHR in a large academic multi-specialty physician group. *Int J Med Inform*. 2010 Jul;79(7):492-500. doi: 10.1016/j.ijmedinf.2010.04.006. PMID: 20478738 <https://www.sciencedirect.com/science/article/abs/pii/S138650561000095X?via%3Dihub>
93. Ramirez-Zohfeld, Seltzer A, Xiong L, Morse L, Lindquist LA. Use of Electronic Health Records by Older Adults, 85 Years and Older, and Their Caregivers. *J Am Geriatr Soc*. 2020 Mar 11. doi: 10.1111/jgs.16393. [Epub ahead of print] PMID: 32159860 <https://onlinelibrary.wiley.com/doi/abs/10.1111/jgs.16393>
94. Dinh-Le C, Chuang R, Chokshi S, Mann D. Wearable Health Technology and Electronic Health Record Integration: Scoping Review and Future Directions. *JMIR Mhealth Uhealth*. 2019 Sep 11;7(9):e12861. doi: 10.2196/12861. PMID: 31512582 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6746089/>
95. Kim GE, Afanasiev OK, O'Dell C, Sharp C, et al. Implementation and evaluation of Stanford Health Care store-and-forward tele dermatology consultation workflow built within an existing electronic health record system. *J Telemed Telecare*. 2018 Oct 9:1357633X18799805. doi: 10.1177/1357633X18799805. [Epub ahead of print] PMID: 30301409 https://journals.sagepub.com/doi/abs/10.1177/1357633X18799805?rfr_dat=cr_pub%3Dpubmed&url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&journalCode=jtta

96. Calvitti A, Hochheiser H, Ashfaq S, Bell K, et al.. Physician activity during outpatient visits and subjective workload. *J Biomed Inform.* 2017 May;69:135-149. doi: 10.1016/j.jbi.2017.03.011. Epub 2017 Mar 18. PMID: 28323114 <https://www.sciencedirect.com/science/article/pii/S1532046417300618?via%3Dihub>
97. Ratwani RM, Savage E, Will A, Arnold R, et al.. A usability and safety analysis of electronic health records: a multi-center study. *J Am Med Inform Assoc.* 2018 Sep 1;25(9):1197-1201. doi: 10.1093/jamia/ocy088. PMID: 29982549 <https://academic.oup.com/jamia/article/25/9/1197/5047907>
98. Buery-Joyner SD, Dalrymple JL, Abbott JF, Craig LB. Overcoming Electronic Medical Record Challenges on the Obstetrics and Gynecology Clerkship. *Obstet Gynecol.* 2015 Sep;126(3):553-8. doi: 10.1097/AOG.0000000000001004. https://journals.lww.com/greenjournal/Abstract/2015/09000/Overcoming_Electronic_Medical_Record_Challenges_on.15.aspx
99. Khairat S, Coleman C, Ottmar P, Bice T. Physicians' gender and their use of electronic health records: findings from a mixed-methods usability study. *J Am Med Inform Assoc.* 2019 Dec 1;26(12):1505-1514. doi: 10.1093/jamia/ocz126. https://journals.lww.com/greenjournal/Abstract/2015/09000/Overcoming_Electronic_Medical_Record_Challenges_on.15.aspx
100. Whalen K, Lynch E, Moawad I, John T, et al. Transition to a new electronic health record and pediatric medication safety: lessons learned in pediatrics within a large academic health system. *J Am Med Inform Assoc.* 2018 Jul 1;25(7):848-854. doi: 10.1093/jamia/ocy034. PMID: 29688461 <https://academic.oup.com/jamia/article/25/7/848/4982761>
101. Rizvi RF, Marquard JL, Seywerd MA, Adam TJ, et al.. Usability Evaluation of an EHR's Clinical Notes Interface from the Perspective of Attending and Resident Physicians: An Exploratory Study. *Stud Health Technol Inform.* 2017;245:1128-1132. PMID: 29688461 DOI: 10.1093/jamia/ocy034 <https://academic.oup.com/jamia/article/25/7/848/4982761>
102. Kamil RJ, Giddings N, Hoffer M, Ying YM, et al.. Electronic Health Record Use Among American Neurotology Society Members. *Otol Neurotol.* 2018 Oct;39(9):e876-e882. doi: 10.1097/MAO.0000000000001948. PMID: 30106852 https://journals.lww.com/otology-neurotology/Abstract/2018/10000/Electron-ic_Health_Record_Use_Among_American.37.aspx
103. Friend TH, Jennings SJ, Levine WC. Communication Patterns in the Perioperative Environment During Epic Electronic Health Record System Implementation. *J Med Syst.* 2017 Feb;41(2):22. doi: 10.1007/s10916-016-0674-3. Epub 2016 Dec 20. PMID: 28000116 <https://link.springer.com/article/10.1007/s10916-016-0674-3>
104. Arndt BG, MD, Beasley JW, Watkinson MD, Temte JL. Tethered to the EHR: Primary Care Physician Workload Assessment Using EHR Event Log Data and Time-Motion Observations *Ann Fam Med* 2017; 15:419-426. <https://doi.org/10.1370/afm.2121>. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5593724/>
105. Pereira AG, Kim M, Seywerd M, Nesbitt B, et al. on behalf of the Minnesota Epic101 Collaborative. Collaborating for Competency-A Model for Single Electronic Health Record Onboarding for Medical Students Rotating among Separate Health Systems. *Appl Clin Inform.* 2018 Jan;9(1):199-204. doi: 10.1055/s-0038-1635096. Epub 2018 Mar 21. PMID: 29564849 PMID: PMC5863062 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5863062/>
106. Sharpless BR, del Rosario F, Molle-Rios Z, and Hilmas E. Use of Electronic Health Record Tools to Facilitate and Audit Infiximab Prescribing. *J Pediatr Pharmacol Ther.* 2018 Jan-Feb;23(1):18-25. doi: 10.5863/1551-6776-23.1.18. PMID: 29491748 PMID: PMC5823488 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5823488/>
107. Ter-Minassian M, Lanzkron S, Derus A, Brown E, et al. Quality Metrics and Health Care Utilization for Adult Patients with Sickle Cell Disease. *J Natl Med Assoc.* 2019 Feb;111(1):54-61. doi: 10.1016/

- j.jnma.2018.05.003. Epub 2018 Jun 22. PMID: 30129484 <https://www.sciencedirect.com/science/article/abs/pii/S0027968418300920?via%3Dihub>
108. Palestine AG, Merrill PT, Saleem SM, Jabs DA, Thorne JE. Assessing the Precision of ICD-10 Codes for Uveitis in 2 Electronic Health Record Systems. *JAMA Ophthalmol.* 2018 Oct 1;136(10):1186-1190. doi: 10.1001/jamaophthalmol.2018.3001. PMID: 30054618 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6583860/>
109. Holmgren AJ, Adler-Milstein J, and McCullough J. Are all certified EHRs created equal? Assessing the relationship between EHR vendor and hospital meaningful use performance. *J Am Med Inform Assoc.* 2018 Jun 1;25(6):654-660. doi: 10.1093/jamia/ocx135. PMID: 29186508 <https://academic.oup.com/jamia/article/25/6/654/4658771>
110. Boland MV, Hwang TS, Lim MC, Peterson JL, et al. Medicare Incentive Payments to United States Ophthalmologists for Use of Electronic Health Records: 2011-2016. *Ophthalmology.* 2019 Jul;126(7):928-934. doi: 10.1016/j.ophtha.2019.01.030. Epub 2019 Feb 13. PMID: 30768941 PMID: PMC6662572 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6662572/>
111. Goldberg HS, Paterno MD, Grundmeier RW, Rocha BH, et al. Use of a remote clinical decision support service for a multicenter trial to implement prediction rules for children with minor blunt head trauma. *Int J Med Inform.* 2016 Mar;87:101-10. doi: 10.1016/j.ijmedinf.2015.12.002. PMID: 26806717 <https://www.sciencedirect.com/science/article/abs/pii/S1386505615300691?via%3Dihub>
112. Kullar R, Goff DA, Schulz LT, Fox BC, et al. The "epic" challenge of optimizing antimicrobial stewardship: the role of electronic medical records and technology. *Clin Infect Dis.* 2013 Oct;57(7):1005-13. doi: 10.1093/cid/cit318. PMID: 23667260 <https://academic.oup.com/cid/article/57/7/1005/335066>
113. Steidl M and Zimmern P. Data for free--can an electronic medical record provide outcome data for incontinence/prolapse repair procedures? *J Urol.* 2013 Jan;189(1):194-9. doi: 10.1016/j.juro.2012.08.186. PMID: 23174224 <https://www.auajournals.org/doi/10.1016/j.juro.2012.08.186>
114. Chima CS, Farmer-Dziak N, Cardwell P, Snow S, et al. Use of technology to track program outcomes in a diabetes self-management program. *J Am Diet Assoc.* 2005 Dec;105(12):1933-8. PMID: 16321600 [https://linkinghub.elsevier.com/retrieve/pii/S0002-8223\(05\)01223-X](https://linkinghub.elsevier.com/retrieve/pii/S0002-8223(05)01223-X)
115. Adelson KB, Qiu YC, Evangelista M, Spencer-Cisek P, et al. Implementation of electronic chemotherapy ordering: an opportunity to improve evidence-based oncology care. *J Oncol Pract.* 2014 Mar;10(2):e113-9. doi: 10.1200/JOP.2013.001184. PMID: 24371301 https://ascopubs.org/doi/full/10.1200/JOP.2013.001184?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed
116. Sonstein L, Clark C, Seidensticker S, Zeng L, et al. Improving adherence for management of acute exacerbation of chronic obstructive pulmonary disease. *Am J Med.* 2014 Nov;127(11):1097-104. doi: 10.1016/j.amjmed.2014.05.033. PMID: 24927911 PMID: PMC4592184 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4592184/>
117. Brenn BR, Choudhry DK, and Sacks K. Outpatient outcomes and satisfaction in pediatric population: data from the postoperative phone call. *Paediatr Anaesth.* 2016 Feb;26(2):158-63. doi: 10.1111/pan.12817. PMID: 26612631 <https://onlinelibrary.wiley.com/doi/abs/10.1111/pan.12817>
118. Bush RA, Kuelbs C, Ryu J, Jiang W, et al. Structured Data Entry in the Electronic Medical Record: Perspectives of Pediatric Specialty Physicians and Surgeons. *J Med Syst.* 2017 May;41(5):75. doi: 10.1007/s10916-017-0716-5. Epub 2017 Mar 21. PMID: 28324321 PMID: PMC5510605 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5510605/>
119. Khoshsima G. A strategic model for measuring agility with fuzzy logic. *Advances in Computation and Intelligence. Lecture Notes in Computer Science.* 2008, 5370, 258-268. https://link.springer.com/chapter/10.1007/978-3-540-92137-0_29
120. Vinodh S and Sakthivel AR. Agility evaluation using the IF-THEN approach. *Int J Prod Res:* 50, 24, 15

Dec, 7100-7109. <https://www.tandfonline.com/doi/abs/10.1080/00207543.2010.524260>

121.Zavodnick J and Kouvatso T. Electronic Health Record Skills Workshop for Medical Students. *MedEdPORTAL*:. 2019 Oct 25;15:10849. doi: 10.15766/mep_2374-8265.10849. PMID: 31921995 PMCID: PMC6946580 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6946580/>